

# SAFETY DATA SHEET

# **Triple7 EnviroCoil**

Infosafe No.: LQ5XE Issued Date: 23/01/2017 Issued by: Envirofluid

### **1. IDENTIFICATION**

GHS Product Identifier Triple7 EnviroCoil

### Product Code

AAECOI-5 5 litres, AAECOI-20 20 litres, AAECOI-200 200 litres, AAECOI-BB 1000 litres GECA Certified, HACCP Approved

Company Name Envirofluid

Address 39 Coghlans Road Warrnambool Victoria 3280 Australia

**Telephone/Fax Number** Tel: 1800 777 580 (8am - 5pm AEST) Fax: 1300 777 580

Emergency phone number 1800 638 556 (24h) / +61 3 5564 6455

E-mail Address info@envirofluid.com

### Recommended use of the chemical and restrictions on use

Biodegradable and non-corrosive surface cleaner for cleaning of ducts, HVAC systems and coils. No restrictions on use.

### **Additional Information**

Contains no ozone depleting substances. Safe for rubbers and seals. Triple7 EnviroCoil is free of all toxic ingredients including petroleum products, glycol ethers, Quats, Bleach, terpenes, strong acids, caustics, phosphates, lauryl sulphates, and volatile organic compounds (VOC's.)

# 2. HAZARD IDENTIFICATION

### GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)







# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

Name	CAS	Proportion
Ingredients determined not to be hazardous		100 %

### 4. FIRST-AID MEASURES

### Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

#### Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

### First Aid Facilities

Eyewash and normal washroom facilities.

### Advice to Doctor

Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Use appropriate fire extinguisher for surrounding environment.

### Unsuitable Extinguishing Media

Water jet.

### **Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes including oxides of nitrogen, carbon monoxide and carbon dioxide.

### **Specific Hazards Arising From The Chemical**

The product itself does not burn. No unusual fire or explosion hazards noted.

### **Decomposition Temperature**

Not available

### Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed material. If safe to do so, remove containers from path of fire. Do not allow run-off from fire fighting to enter drains or water courses.







### 6. ACCIDENTAL RELEASE MEASURES

#### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing. Stop the leak if safe to do so. Evacuate unprotected personnel. If possible contain the spill. Surfaces may become slippery after spillage. Flush residue with ample water. If spilt on electrical equipment will cause short-circuits. Place inert absorbent, non-combustible material onto spillage. Collect the material and place into suitable labelled containers for recycling or disposal. Dispose of waste according to the applicable local and national regulations.

### 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene by washing hands prior to eating, drinking, smoking or using toilet facilities.

#### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Freezing will affect the physical condition but will not damage the material. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational exposure limit values

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

### **Biological Limit Values**

No biological limits allocated.

### **Appropriate Engineering Controls**

Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.

#### **Respiratory Protection**

Respiratory protection not normally required. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### **Eye Protection**

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

#### Hand Protection

Wear impervious chemical resistant gloves. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/ NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.







### **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist. When large quantities are handled the use of plastic aprons and rubber boots is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Liquid

Appearance Clear free flowing liquid

**Colour** Yellow to light amber

Odour Mild surfactant

**Decomposition Temperature** Not available

Melting Point 0°C (ASTM 097)

Boiling Point 100°C (ASTM 01120)

Solubility in Water 100% soluble

Specific Gravity -1.01 (15.5°C) (ASTM 0891)

**pH** 9.9-10.9

Vapour Pressure < 5 mm Hg (37.8°C) (ASTM D323)

Vapour Density (Air=1) Not available

**Evaporation Rate** >5 (relative to xylene)

Odour Threshold Not available

Viscosity 5 cPs (24°C) (ASTM 02196)

Volatile Component Volatiles: 93% by wt. (including water) (105°C) (ASTM 0800) VOC: None measurable by USEPA 601, 602, 608

Partition Coefficient: n-octanol/water Not available

Density -1.01 kg/l (15°C)







Flash Point >100°C (ASTM D93 Closed Cup)

Flammability Not flammable

Auto-Ignition Temperature Not applicable

Flammable Limits - Lower Not applicable

Flammable Limits - Upper Not applicable

Other Information Surface Tension: 31.5 dynes/cm (ASTM 01331)

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Reacts with incompatible materials.

### **Chemical Stability**

Stable under normal conditions of handling and storage.

### Conditions to Avoid

Extremes of temperature and direct sunlight.

### Incompatible materials

Not available

### Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including: carbon monoxide and carbon dioxide.

Possibility of hazardous reactions Not available

#### Hazardous Polymerization Will not occur

11. TOXICOLOGICAL INFORMATION

**Toxicology Information** The available toxicity data is given below.

Acute Toxicity - Oral LD50 (rat): >5000 mg/kg bw

Acute Toxicity - Dermal LD50 (rabbit): >2000 mg/kg bw

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

#### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

Skin







Causes mild skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

Primary Skin Irritation in Rabbits: Cat. III, Moderate Irritation at 72-hrs.

### Eye

Causes mild eye irritation. On eye contact this product can cause tearing, stinging, blurred vision, and redness. Sample caused minimal occular irritation (In Vitro Occular Irritection test)

### Respiratory sensitisation

Not expected to be a respiratory sensitiser.

#### **Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ cell mutagenicity** Not considered to be a mutagenic hazard.

**Carcinogenicity** Not considered to be a carcinogenic hazard.

**Reproductive Toxicity** Not considered to be toxic to reproduction.

**STOT-single exposure** Not expected to cause toxicity to a specific target organ.

**STOT-repeated exposure** Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not expected to be an aspiration hazard.

### **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

The available ecological data is given below. Not expected to be harmful to aquatic organisms.

### Persistence and degradability

The product is biodegradable.

### Mobility

The product is miscible with water. May be spread in water systems.

# Bioaccumulative Potential

Does not bioaccumulate.

#### Other Adverse Effects Not available

**Environmental Protection** Prevent large amounts from entering waterways, drains and sewers.

Acute Toxicity - Fish LC50(Pimephales promelas): 316mg/l/96h (100% survival at 100 mg/l)

Acute Toxicity - Algae EC50 (Skeletonema costatum): 18.74 mg/kg/72h

### **Other Information**

10-day Acute Toxicity LC50 (Crustacea, Corophium volutator): >16203 mg/kg







# **13. DISPOSAL CONSIDERATIONS**

### **Disposal considerations**

Dispose of waste according to applicable local and national regulations.

# **14. TRANSPORT INFORMATION**

### **Transport Information**

Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

U.N. Number None Allocated

**UN proper shipping name** None Allocated

Transport hazard class(es) None Allocated

Special Precautions for User Not available

IMDG Marine pollutant No

Transport in Bulk Not available

# **15. REGULATORY INFORMATION**

### **Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule** 

Not Scheduled







## **16. OTHER INFORMATION**

### Date of preparation or last revision of SDS

SDS reviewed: January 2017 Supersedes: September 2016

#### References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

### **Other Information**

GECA (Good Environmental Choice) Certified CPv2.2-2012 Cleaning Products HACCP (for use in registered establishments) Approved

# **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.



